CLASSIC BRASS

JAMESTOWN, NEW YORK

M/P SETS - EURO

CHAUTAUQUA COLLECTION



M/P SETS - EURO

1-1/2" X 10" MULTI POINT SETS

13300 Lever Euro M/P Set - ENTRANCE

13301 Lever Euro M/P Set - FULL DUMMY

13302 Lever Euro M/P Set - ACTIVE DUMMY

13303 Lever Euro M/P Set - PATIO

Above sets include 16200 Lever

2" X 11" MULTI POINT SETS

13310 Lever Euro M/P Set - ENTRANCE

13311 Lever Euro M/P Set - FULL DUMMY

13312 Lever Euro M/P Set - ACTIVE DUMMY

13313 Lever Euro M/P Set - PATIO

Above sets include 16200 Lever

2-1/2" X 12" MULTI POINT SETS

13320 Lever Euro M/P Set - ENTRANCE

13321 Lever Euro M/P Set - FULL DUMMY

13322 Lever Euro M/P Set - ACTIVE DUMMY

13323 Lever Euro M/P Set - PATIO

Above sets include 16200 Lever

MATERIALS

Solid Brass

SPINDLES


8mm SQ (standard)


HOW TO ORDER

- 1. Specify application.
- 2. See our M/P Check Sheet (Form 500) for additional information.
- 3. Specify finish. If split finish is required, please indicate exterior/interior.
- 4. Specify door thickness. Standard thickness is 1-3/4".
- 5. Specify hand of door RH/LH.
- $6.\,$ Specify fixed or active exterior lever when ordering active dummy set.

REMEMBER

- 1. Complete our M/P Check Sheet (Form 500).
- 2. Standard euro profile application is LEVER HIGH 92mm (hub-cylinder spacing).
- 3. All levers are interchangeable.
- 4. Door thickness greater than 1-3/4" will require longer euro cylinders and/or offset cylinders. $62 \, \text{mm} \times \text{K} \times \text{TP} (31 \, \text{mm} \times 31 \, \text{mm})$ and $31 \, \text{mm} + 10 \, \text{mm} + 1$
- ${\it 5. Cylinders INCLUDED with all applications (collection turnpiece attached)}.$
- 6. Strike not included.
- $\ \, 7.\ \, {\rm Custom\ escutcheon\ sizes\ and\ drilling\ available}.$
- 8. CHAUTAUQUA SQUARE edge profile is standard. Additional edge details available.
- $9.\,$ Euro offset cylinders and custom lengths available upon request.





SET COMPONENTS

Lever Euro M/P Set - **ENTRANCE** includes two escutcheons, two levers, 4" straight spindle (8mm), euro profile cylinder - 62mm - K x TP and mounting hardware. NOTE: our standard spacing between lever hub and the profile cylinder is 92mm.

Lever Euro M/P Set - **FULL DUMMY** includes two escutcheons, two levers, 4" straight spindle (8mm), two dummy mount plates and mounting hardware.

CHAUTAUQUA | DOOR

EDGE OPTIONS

CHAUTAUQUA EDGE
Standard

COIN EDGE
ROPE EDGE


1/8"

1/8"

1/8"

R. 5/32"

R. 3/32"



HOW TO ORDER

- Select correct series of profile required (i.e. EYEBROW or SQUARE).
- Specify EDGE DETAIL CHAUTAUQUA edge option is standard. If alternate EDGE DETAIL is required make sure to specify as SUB (example SUB ROPE).
- If necessary, calculate the appropriate upcharge per lineal inch for COIN or ROPE (see retail price list).

REMEMBER

- Custom escutcheon sizes are available.
- Standard escutcheon thickness is 1/4" alternate thickness available upon request.
- Contact us to discuss custom edge details or profiles.

CLASSIC BRASS

CLASSIC BRASS

JAMESTOWN, NEW YORK

SIGNATURE FINISHES

SOLID BRASS FINISHES

















Polished Brass (PB) Polished Brass — No Lacquer (PBNL) Revere Brass (RB)

Polished Antique (PA)

Burnished Brass (BB) Oil Rubbed Bronze (BZ) Kensington (KN)

LEVEL 1 Antique Brass (AB)

Revere Tarnished (RT) Satin Brass (SB)

Satin Brass — No Lacquer (SBNL)

Antique Burnished Brass (ABB)

Polished Antique — No Lacquer (PANL)

Tarnished (TN) Weathered Brass (WB)

Weathered Bronze (WZ)

POLISHED BRASS



OIL RUBBED BRONZE (BZ)



KENSINGTON



MATTE BLACK (MB)





POLISHED ANTIQUE




















Satin Nickel (SN) Weathered Antique Nickel (WA)

Weathered Copper (WC) Weathered Nickel (WN)



WEATHERED BRONZE



WEATHERED COPPER



WEATHERED NICKEL







LEVEL 3

Antique Polished Silver (APS) Polished Silver (PS) Satin Silver (SS)

PRICE ON REQUEST

Polished Gold (PG) Satin Gold (SG)

Custom finishes available on request.