CLASSIC BRASS

JAMESTOWN, NEW YORK

FLUSH PULL

ACCESSORIES



FLUSH PULL

APPLICATIONS

18500 Offset Flush Pull - PASSAGE

PRODUCT DIMENSIONS

2-1/4" x 6"

MATERIALS

Solid Brass

HOW TO ORDER

- 1. Specify application.
- 2. Specify finish.
- 3. Specify door thickness. Standard is 1-3/4".


REMEMBER

- 1. Verify jamb clearance for flush pull projection.
- 2. Edge pulls available Standard or Mortise.
- 3. Flush pull locks and edge pulls must be ordered seperately.



SET COMPONENTS

Flush Pull Only includes one flush pull ONLY and mounting hardware.



CLASSIC BRASS

JAMESTOWN, NEW YORK

SIGNATURE FINISHES

SOLID BRASS FINISHES























Revere Brass (RB) POLISHED ANTIQUE NO LACQUER (PANL) Revere Tarnished (RT)

Kensington (KN) Polished Antique (PA)

Polished Brass (PB)

LEVEL 1 Antique Brass (AB)



LEVEL 2

Satin Brass — No Lacquer (SBNL) Tarnished (TN)

Antique Burnished Nickel (ABN) Antique Revere Nickel (ARN) Antique Nickel (AN)

Polished Antique — No Lacquer (PANL)

Polished Brass — No Lacquer (PBNL)

Antique Burnished Brass (ABB) Antique Revere Brass (ARB) Burnished Brass (BB) Oil Rubbed Bronze (BZ)

Weathered Brass (WB) Weathered Bronze (WZ)

Burnished Nickel (BN) Matte Black (MB) Polished Chrome (PC) Polished Nickel (PN) Revere Nickel (RN)













POLISHED SILVER

















SATIN NICKEL (SN)









WEATHERED BRASS

Satin Nickel (SN) Weathered Antique Nickel (WA) Weathered Copper (WC)

Weathered Nickel (WN)

LEVEL 3

Antique Polished Silver (APS) Antique Revere Silver (ARS) Polished Silver (PS) Revere Silver (RS) Satin Silver (SS)

PRICE ON REQUEST

Polished Gold (PG) Satin Gold (SG)

Custom finishes available on request.



