


# CLASSIC BRASS

JAMESTOWN, NEW YORK

## ENTRANCE KNOB SETS

---

ARTS & CRAFTS COLLECTION



# ENTRANCE KNOB SETS

## APPLICATIONS

8610 Knob Mortise Entrance Set

8611 Knob Mortise Entrance Set - FULL DUMMY

8612 Knob Latch x Auxiliary Deadbolt Set

8613 Knob Latch x Auxiliary Deadbolt Set - FULL DUMMY

Above sets include 8750 Knob

## DIMENSIONS

Interior Escutcheon 2-3/8" x 12"

Exterior Escutcheon 2-3/8" x 12"

## MATERIALS

Solid Bronze

## SPINDLES



8mm SQ (standard)

## HOW TO ORDER

1. Specify application.
2. Specify finish. If split finish is required, please indicate exterior/interior.
3. Specify door thickness. Standard thickness is 1-3/4".
4. Specify hand of door - RH/LH.
5. Specify backset.
  - standard for mortise lock is 2-1/2".
  - standard for auxiliary deadbolt is 2-3/8".

## REMEMBER

1. All knobs are interchangeable.
2. Standard mortise lock is 2-1/2" EE. Specify 2-3/4" if required.
3. Standard latch x auxiliary deadbolt: 5-1/2" c-c spacing and 2-3/8" backset. If required, specify 2-3/4" backset.
4. A door thickness greater than 1-3/4" will require a #9901 thick door kit for mortise application.
5. Custom drilling available.
6. Oval slot head wood screws (4/ea) are standard on the escutcheons.



## SET COMPONENTS

**Entrance Knob Set - Mortise Lock** includes exterior plate, interior plate with turnpiece, two knobs, 4" swivel spindle (8mm), Accurate 9124 K x K mortise lock (2-1/2" backset), faceplate, strike 1-1/4" LTC, dust box, mortise cylinder and mounting hardware.

**Entrance Knob Set - Latch x Auxiliary Deadbolt** includes an exterior plate, interior plate with turnpiece, two knobs, passage latch K x K (2-3/8" backset), 4" straight spindle (8mm), auxiliary deadbolt (2-3/8" backset), rim cylinder, latch faceplate, full lip strike, dust boxes and mounting hardware. NOTE: our standard spacing between knob hub and auxiliary deadbolt is 5-1/2" c-c.

**Entrance Knob Set - FULL DUMMY** includes exterior plate, interior plate, two knobs, 4" straight spindle (8mm) and full dummy mounting hardware.

# CLASSIC BRASS


JAMESTOWN, NEW YORK

## SIGNATURE FINISHES

### SOLID BRONZE FINISHES




AGED IRON  
(AI)



AGED SILVER  
(AS)



AGED BRONZE  
(AZ)



MATTE BLACK  
(MB)



NATURAL BRONZE  
(NB)



STERLING  
(ST)

### FINISHES

- Aged Iron (AI)
- Aged Silver (AS)
- Aged Bronze (AZ)
- Matte Black (MB)
- Natural Bronze (NB)
- Sterling (ST)

CUSTOM FINISHES AVAILABLE  
UPON REQUEST.