
# CLASSIC BRASS

JAMESTOWN, NEW YORK

## **INTERIOR LEVER SETS**

CHAUTAUQUA COLLECTION



### INTERIOR LEVER SETS

#### 2" ROSE SETS

16141 Coin Lever Set - PASSAGE

16142 Coin Lever Set - PRIVACY

16143 Coin Lever Set - SECTIONAL PRIVACY

16144 Coin Lever Set - FULL DUMMY

16145 Coin Lever Set - HALF DUMMY

16148 Coin Lever Mortise Set - PASSAGE

16149 Coin Lever Mortise Set - PRIVACY

#### 2-9/16" ROSE SETS

16151 Coin Lever Set - PASSAGE

16152 Coin Lever Set - PRIVACY

16153 Coin Lever Set - SECTIONAL PRIVACY

16154 Coin Lever Set - FULL DUMMY

16155 Coin Lever Set - HALF DUMMY

**16140** Coin Lever Only 4-5/8"

14082 Coin Rose Only 2"

14092 Coin Rose Only 2-9/16"

#### **MATERIALS**

Solid Brass

#### **SPINDLES**


8mm SQ (standard)


#### **HOW TO ORDER**

- 1. Specify application.
- 2. Specify if pre-drilled adapters are required (part #9749).
- 3. Specify finish. If split finish is required, please indicate exterior/interior.
- 4. Specify door thickness. Standard thickness is 1-3/8".
- 5. Specify backset.
  - standard is 2-3/8" for tubular.
  - standard is 2-1/2" for mortise.
- 6. Specify hand of door RH/LH for mortise applications.

#### REMEMBER

- 1. Specify pre-drilled adapter (#9749) for 2-1/8" pre-drilled doors, which requires the large rose.
- 2. Specify interior mortise lock for quality installations.
- 3. All knobs and levers are interchangeable.
- 4. FULL LIP strikes are standard. Specify SUB "T" strike, if required.
- 5. Standard backset is 2-3/8" for tubular. If required, specify 2-3/4". Standard backset is 2-1/2" for mortise. If required, specify 2-3/4".
- 6. A door thickness greater than 1-3/4" will require a #9900 thick door kit for mortise application.
- 7. Combination strike and faceplate available for sectional tubular privacy function.





#### **SET COMPONENTS**

**Lever Set** - PASSAGE includes two rosettes (passage), two levers, passage latch  $L \times L$  (2-3/8" backset), full lip strike, latch faceplate, 4" straight spindle (8mm), two rosette mount plates, two rosette mount plate hubs, dust box and mounting hardware. NOTE: if required, order pre-drilled adapter (part #9749) separately.

**Lever Set** - **PRIVACY** includes two rosettes (privacy), two levers, privacy latch L x L (2-3/8" backset), full lip strike, latch faceplate, 4" swivel spindle (8mm), two rosette mount plates, two rosette mount plate hubs, privacy pin, dust box and mounting hardware. NOTE: if required, order pre-drilled adapter (part #9749) separately.

 $\label{lever Set-HALF DUMMY} Includes rosette, lever, dummy mount spindle, rosette mount plate hub and mounting hardware.$ 

**Lever Mortise Set** - **PASSAGE** includes two rosettes, two levers, 4" straight spindle (8mm), Accurate  $9825\,L\,x\,L$  interior mortise lock (2-1/2" backset), strike, faceplate, dust box and mounting hardware.

Lever Mortise Set - PRIVACY includes two rosettes, two levers, turnpiece and backplate, emergency egress trim, 4" straight spindle (8mm), Accurate 9839 Lx L interior mortise lock (2-1/2" backset), strike, faceplate, dust box and mounting hardware.

# CLASSIC BRASS

JAMESTOWN, NEW YORK

### SIGNATURE FINISHES

#### **SOLID BRASS FINISHES**

















Polished Brass (PB) Polished Brass — No Lacquer (PBNL) Revere Brass (RB)

Polished Antique (PA)

Burnished Brass (BB) Oil Rubbed Bronze (BZ) Kensington (KN)

LEVEL 1 Antique Brass (AB)

Revere Tarnished (RT) Satin Brass (SB)

Satin Brass — No Lacquer (SBNL)

Antique Burnished Brass (ABB)

Polished Antique — No Lacquer (PANL)

Tarnished (TN) Weathered Brass (WB)

Weathered Bronze (WZ)

POLISHED BRASS



OIL RUBBED BRONZE (BZ)



KENSINGTON



MATTE BLACK (MB)





POLISHED ANTIQUE




















Satin Nickel (SN) Weathered Antique Nickel (WA)

Weathered Copper (WC) Weathered Nickel (WN)



WEATHERED BRONZE



WEATHERED COPPER



WEATHERED NICKEL







LEVEL 3

Antique Polished Silver (APS) Polished Silver (PS) Satin Silver (SS)

#### **PRICE ON REQUEST**

Polished Gold (PG) Satin Gold (SG)

Custom finishes available on request.