CLASSIC BRASS

JAMESTOWN, NEW YORK

FLUSH PULLS

APRÈS COLLECTION



FLUSH PULLS

APPLICATIONS

17190 Flush Pull Only
17191 Flush Pull Set - PASSAGE w/ 9730
17192 Flush Pull Set - PASSAGE w/ Accurate 2000
17193 Flush Pull Set - PRIVACY w/ Accurate 2002
17194 Flush Pull Set - ENTRANCE w/ Accurate 2002

PRODUCT DIMENSIONS

 $2" \ge 8"$

MATERIALS

Solid Brass

HOW TO ORDER

- 1. Specify application.
- 2. Specify finish.
- 3. Specify door thickness. Standard is 1-3/4".

REMEMBER

- 1. Standard backset is 2-1/2" for mortise. If required, specify 2-3/4" backset.
- 2. Verify jamb clearance for escutcheon projection.
- 3. Edge pulls available Standard or Mortise.
- 4. If only one flush pull is ordered, surface mount screws are required.
- 5. Custom escutcheon sizes and drilling available.
- $6.\,$ SLAB edge profile is standard. Specify COIN or
- CROSS HATCH edge profile if required.
- 7. Concealed undermount attachment is standard on exterior escutcheon. Oval slot head machine screws (2/ea) are standard on interior escutcheon.



SET COMPONENTS


Flush Pull Only includes one flush pull ONLY and mounting hardware.

 $Flush \ Pull \ Set$ - $PASSAGE \ w/ \ 9730$ includes two flush pulls, one edge pull and mounting hardware.

Flush Pull Set - PASSAGE w/ Accurate 2000 includes two flush pulls, Accurate 2000 edge pull and mounting hardware.

Flush Pull Set - **PRIVACY w/ Accurate 2002** includes exterior flush pull w/ EE trim, interior flush pull w/ turnpiece, Accurate 2002 flush pull mortise lock, strike and mounting hardware.


Flush Pull Set - **ENTRANCE w/ Accurate 2002** includes exterior flush pull machined for mortise cylinder, interior flush pull w/ turnpiece attached, Accurate 2002 flush pull mortise lock, mortise cylinder, strike and mounting hardware.




CLASSIC BRASS

EDGE OPTIONS

APRÈS | DOOR



SLAB COIN EDGE



HOW TO ORDER

- + Specify EDGE DETAIL SLAB edge option is standard. If alternate EDGE DETAIL is required make sure to specify as SUB (example – SUB COIN).
- If necessary, calculate the appropriate upcharge per lineal inch for COIN or CROSS HATCH (see retail price list).

REMEMBER

- Custom escutcheon sizes are available.
- Standard escutcheon thickness is 1/4" alternate . thickness available upon request.
- · Contact us to discuss custom edge details or profiles.

CLASSIC BRASS JAMESTOWN, NEW YORK

CLASSIC BRASS

JAMESTOWN, NEW YORK

SIGNATURE FINISHES

SOLID BRASS FINISHES







OIL RUBBED BRONZE (BZ)

POLISHED BRASS NO LACQUER (PBNL)

REVERE NICKEL

(RN)



POLISHED BRASS (PR)



REVERE BRASS (RB)



SATIN NICKEL (SN)



WEATHERED BRONZE (WZ)

WEATHERED COPPER (WC)





ANTIQUE BURNISHED NICKEL (ABN)

KENSINGTON

(KN)

POLISHED CHROME

(PC)

REVERE TARNISHED

(RT)

WEATHERED NICKEL

(WN

MATTE BLACK (MB)

POLISHED ANTIQUE POLISHED ANTIQUE NO LACQUER (PANL) (PA)

BURNISHED BRASS

ANTIQUE POLISHED SILVER (APS)



POLISHED NICKEL (PN) POLISHED SILVER



SATIN GOLD

(SG)

SATIN BRASS NO LACQUER (SBNL)



WEATHERED BRASS (WB)

LEVEL 1

Antique Brass (AB) Antique Burnished Brass (ABB) Burnished Brass (BB) Oil Rubbed Bronze (BZ) Kensington (KN) Polished Antique (PA) Polished Antique – No Lacquer (PANL) Polished Brass (PB) Polished Brass - No Lacquer (PBNL) Revere Brass (RB) Revere Tarnished (RT) Satin Brass (SB) Satin Brass – No Lacquer (SBNL) Tarnished (TN) Weathered Brass (WB) Weathered Bronze (WZ)

LEVEL 2

Antique Burnished Nickel (ABN) Antique Nickel (AN) Burnished Nickel (BN) Matte Black (MB) Polished Chrome (PC) Polished Nickel (PN) Revere Nickel (RN) Satin Nickel (SN) Weathered Antique Nickel (WA) Weathered Copper (WC) Weathered Nickel (WN)

LEVEL 3

Antique Polished Silver (APS) Polished Silver (PS) Satin Silver (SS)

PRICE ON REQUEST

Polished Gold (PG) Satin Gold (SG)

Custom finishes available on request.





TARNISHED (TN)







WEATHERED ANTIQUE NICKEL (WA)