# CLASSIC BRASS

JAMESTOWN, NEW YORK

## INTERIOR LEVER SETS

SHORE COLLECTION



### INTERIOR LEVER SETS

#### 2" ROSE SETS

17752 Lever Set - PASSAGE

17753 Lever Set - PRIVACY

17754 Lever Set - SECTIONAL PRIVACY

17755 Lever Set - FULL DUMMY

17756 Lever Set - HALF DUMMY

17757 Lever Mortise Set - PASSAGE

17758 Lever Mortise Set - PRIVACY

#### 2-1/2" ROSE SETS

17762 Lever Set - PASSAGE

17763 Lever Set - PRIVACY

17764 Lever Set - SECTIONAL PRIVACY

17765 Lever Set - FULL DUMMY

17766 Lever Set - HALF DUMMY

17750 Lever Only 4-1/2"

17676 Square Rose Only 2"

17677 Square Rose Only 2-1/2"

#### **MATERIALS**

Solid Brass

#### **SPINDLES**


8mm SQ (standard)

#### **HOW TO ORDER**

- 1. Specify application.
- 2. Specify if pre-drilled adapters are required (part #9749).
- 3. Specify finish. If split finish is required, please indicate exterior/interior.
- 4. Specify door thickness. Standard thickness is 1-3/8".
- 5. Specify backset.
  - standard is 2-3/8" for tubular.
  - standard is 2-1/2" for mortise.
- 6. Specify hand of door RH/LH for mortise applications.

#### REMEMBER

- 1. Specify pre-drilled adapter (#9749) for 2-1/8" pre-drilled doors, which requires the large rose.
- 2. Specify interior mortise lock for quality installations.
- 3. All knobs and levers are interchangeable.
- 4. FULL LIP strikes are standard. Specify SUB "T" strike, if required.
- 5. A door thickness greater than 1-3/4" will require a #9900 thick door kit for mortise application.
- 6. Combination strike and faceplate available for sectional tubular privacy function.





#### **SET COMPONENTS**

Lever Set - PASSAGE includes two rosettes (passage), two levers, passage latch L x L (2-3/8" backset), full lip strike, latch faceplate, 4" straight spindle (8mm), two rosette mount plates, two rosette mount plate hubs, dust box and mounting hardware. NOTE: if required, order pre-drilled adapter (part #9749) separately.

**Lever Set** - **PRIVACY** includes two rosettes (privacy), two levers, privacy latch L x L (2-3/8" backset), full lip strike, latch faceplate, 4" swivel spindle (8mm), two rosette mount plates, two rosette mount plate hubs, privacy pin, dust box and mounting hardware. NOTE: if required, order pre-drilled adapter (part #9749) separately.

 $\label{lever Set-HALF DUMMY} Includes rosette, lever, dummy mount spindle, rosette mount plate hub and mounting hardware.$ 

**Lever Mortise Set** - **PASSAGE** includes two rosettes, two levers, 4" straight spindle (8mm), Accurate  $9825\,L\,x\,L$  interior mortise lock (2-1/2" backset), strike, faceplate, dust box and mounting hardware.

Lever Mortise Set - PRIVACY includes two rosettes, two levers, turnpiece and backplate, emergency egress trim, 4" straight spindle (8mm), Accurate 9839 Lx L interior mortise lock (2-1/2" backset), strike, faceplate, dust box and mounting hardware.

# CLASSIC BRASS

JAMESTOWN, NEW YORK

### SIGNATURE FINISHES

#### **SOLID BRASS FINISHES**

















POLISHED ANTIQUE NO LACQUER (PANL)

Polished Brass (PB) Polished Brass — No Lacquer (PBNL)

Polished Antique — No Lacquer (PANL)

Antique Burnished Brass (ABB) Antique Revere Brass (ARB) Burnished Brass (BB) Oil Rubbed Bronze (BZ)

Revere Brass (RB)

Kensington (KN) Polished Antique (PA)

Revere Tarnished (RT) Satin Brass (SB)

Satin Brass — No Lacquer (SBNL)

Tarnished (TN) Weathered Brass (WB)

Weathered Bronze (WZ)





OIL RUBBED BRONZE (BZ)





KENSINGTON



MATTE BLACK



POLISHED ANTIQUE





POLISHED SILVER

















LEVEL 2

LEVEL 1 Antique Brass (AB)

Antique Burnished Nickel (ABN) Antique Revere Nickel (ARN) Antique Nickel (AN) Burnished Nickel (BN) Matte Black (MB) Polished Chrome (PC) Polished Nickel (PN) Revere Nickel (RN) Satin Nickel (SN) Weathered Antique Nickel (WA) Weathered Copper (WC) Weathered Nickel (WN)



Antique Polished Silver (APS) Antique Revere Silver (ARS) Polished Silver (PS) Revere Silver (RS) Satin Silver (SS)

#### **PRICE ON REQUEST**

Polished Gold (PG) Satin Gold (SG)

Custom finishes available on request.

SATIN NICKEL (SN)





SATIN SILVER



