CLASSIC BRASS

JAMESTOWN, NEW YORK

INTERIOR LEVER SETS

FIFTH AVENUE COLLECTION



INTERIOR LEVER SETS

APPLICATIONS

7734 Lever Set - PASSAGE

7742 Lever Set - PRIVACY

7750 Lever Set - FULL DUMMY

7758 Lever Set - HALF DUMMY

7773 Lever Only 3-13/16"

7778 Square Rose Only 2"

PRODUCT DIMENSIONS

Lever 3-13/16"

Rose 2"

MATERIALS

Solid Brass

SPINDLES


8mm SQ (standard)

HOW TO ORDER

- 1. Specify application.
- 2. Specify if pre-drilled adapters are required (part #9749).
- 3. Specify finish. If split finish is required, please indicate exterior/interior.
- 4. Specify door thickness. Standard thickness is 1-3/8".
- 5. Specify backset.
 - standard is 2-3/8" for tubular.
 - standard is 2-1/2" for mortise.
- 6. Specify hand of door RH/LH for mortise applications.

REMEMBER

- 1. Specify pre-drilled adapter (#9749) for 2-1/8" pre-drilled doors, which requires the large rose.
- 2. Consider utilizing an interior mortise lock for quality installations.
- 3. All knobs and levers are interchangeable.
- 4. FULL LIP strikes are standard. Specify SUB "T" strike, if required.
- 5. Standard backset is 2-3/8" for tubular. If required, specify 2-3/4".





SET COMPONENTS

Lever Set - PASSAGE includes two rosettes (passage), two levers, passage latch LxL (2-3/8" backset), full lip strike, latch faceplate, 4" straight spindle (8mm), two rosette mount plates, two rosette mount plate hubs, dust box and mounting hardware. NOTE: if required, order pre-drilled adapter (part #9749) separately.

Lever Set - PRIVACY includes two rosettes (privacy), two levers, privacy latch L x L (2-3/8" backset), full lip strike, latch faceplate, 4" swivel spindle (8mm), two rosette mount plates, two rosette mount plate hubs, privacy pin, dust box and mounting hardware. NOTE: if required, order pre-drilled adapter (part #9749) separately.

Lever Set - FULL DUMMY includes two rosettes, two levers, 4" straight spindle (8mm), two dummy rosette mount plates, two rosette mount plate hubs and mounting hardware.

Lever Set - HALF DUMMY includes rosette, lever, dummy mount spindle, rosette mount plate hub and mounting hardware.


SQUARE ESCUTCHEON


EDGE OPTIONS

ONE STEP EDGE

Standard


TWO STEP EDGE







BEVEL EDGE

SLAB EDGE







HOW TO ORDER

- Specify EDGE DETAIL — ONE STEP edge option is standard. If alternate EDGE DETAIL is required $-\,$ make sure to specify as SUB (example - SUB BEVEL).

REMEMBER

- Custom escutcheon sizes are available.
- Standard escutcheon thickness is 1/4" alternate thickness available upon request.
- · Contact us to discuss custom edge details or profiles.

CLASSIC BRASS

JAMESTOWN, NEW YORK

SIGNATURE FINISHES

SOLID BRASS FINISHES













ANTIQUE BURNISHED BRASS (ABB)



OIL RUBBED BRONZE (BZ)



POLISHED BRASS NO LACQUER (PBNL)



REVERE NICKEL



SATIN SILVER





ANTIQUE BURNISHED NICKEL (ABN)



KENSINGTON



POLISHED CHROME



REVERE TARNISHED



SATIN TARNISHED (STN)



ANTIQUE NICKEL (AN) ANTIQUE POLISHED SILVER (APS)



POLISHED GOLD



SATIN BRASS NO LACQUER (SBNL)

POLISHED ANTIQUE

POLISHED NICKEL (PN)





BURNISHED BRASS

POLISHED ANTIQUE NO LACQUER (PANL)

POLISHED SILVER

SATIN GOLD

WEATHERED BRASS

Antique Brass (AB) Antique Burnished Brass (ABB) Burnished Brass (BB) Oil Rubbed Bronze (BZ) Kensington (KN) Polished Antique (PA) Polished Antique — No Lacquer (PANL) Polished Brass (PB) Polished Brass — No Lacquer (PBNL) Revere Brass (RB) Revere Tarnished (RT) Satin Brass (SB) Satin Brass — No Lacquer (SBNL) Tarnished (TN)

LEVEL 2

Weathered Brass (WB) Weathered Bronze (WZ)

Antique Burnished Nickel (ABN) Antique Nickel (AN) Burnished Nickel (BN) Matte Black (MB) Polished Chrome (PC) Polished Nickel (PN) Revere Nickel (RN) Satin Nickel (SN) Weathered Antique Nickel (WA) Weathered Copper (WC) Weathered Nickel (WN)

LEVEL 3

Antique Polished Silver (APS) Polished Silver (PS) Satin Silver (SS)

PRICE ON REQUEST

Polished Gold (PG) Satin Gold (SG)

Custom finishes available on request.