

# CLASSIC BRASS

JAMESTOWN, NEW YORK

## M/P SETS - AMERICAN

---

MONTANA COLLECTION



# M/P SETS - AMERICAN

## 1-3/4" X 10" MULTI POINT SETS

- 8864 Lever Amer M/P Set - ENTRANCE
- 8865 Lever Amer M/P Set - FULL DUMMY
- 8866 Lever Amer M/P Set - ACTIVE DUMMY
- 8867 Lever Amer M/P Set - PATIO

Above sets include 8957 Lever

## 2-1/2" X 12" MULTI POINT SETS

- 8870 Lever Amer M/P Set - ENTRANCE
- 8871 Lever Amer M/P Set - FULL DUMMY
- 8872 Lever Amer M/P Set - ACTIVE DUMMY
- 8873 Lever Amer M/P Set - PATIO

Above sets include 8957 Lever

## MATERIALS

Solid Bronze

## SPINDLES


8mm SQ (standard)

## HOW TO ORDER

1. Specify application.
2. See our M/P Check Sheet (Form 500) for additional information.
3. Specify finish. If split finish is required, please indicate exterior/interior.
4. Specify door thickness. Standard thickness is 1-3/4".
5. Specify hand of door - RH/LH.
5. Specify fixed or active exterior lever when ordering active dummy set.

## REMEMBER

1. Complete our M/P Check Sheet (Form 500).
2. Standard M/P American cylinder applications: LEVER LOW - 92mm spacing.
3. Specify LEVER HIGH or custom c-c spacing if required.
4. All levers are interchangeable.
5. American cylinder included with Entrance function only.
6. Strike not included.
7. Custom drilling available.



MONTANA | DOOR

## SET COMPONENTS

**Lever Amer M/P Set - ENTRANCE** includes two escutcheons, two levers, 4" straight spindle (8mm), American profile cylinder and mounting hardware. NOTE: our standard spacing between lever hub and the profile cylinder is 92mm.

**Lever Amer M/P Set - FULL DUMMY** includes two escutcheons, two levers, 4" straight spindle (8mm), two dummy mount plates and mounting hardware.

**Lever Amer M/P Set - ACTIVE DUMMY** includes two escutcheons, two levers, 4" swivel spindle (8mm), dummy mount plates for exterior and mounting hardware.

**Lever Amer M/P Set - PATIO** includes exterior escutcheon, interior escutcheon (for American profile application turnpiece w/ tailpiece attached to escutcheon), two levers, 4" straight spindle (8mm) and mounting hardware. NOTE: our standard spacing between lever hub and the turnpiece is 92mm.

CLASSIC BRASS

JAMESTOWN, NEW YORK

# CLASSIC BRASS

JAMESTOWN, NEW YORK

## SIGNATURE FINISHES

### SOLID BRONZE FINISHES



AGED IRON  
(AI)



AGED SILVER  
(AS)



AGED BRONZE  
(AZ)



MATTE BLACK  
(MB)



NATURAL BRONZE  
(NB)



STERLING  
(ST)

### FINISHES

- Aged Iron (AI)
- Aged Silver (AS)
- Aged Bronze (AZ)
- Matte Black (MB)
- Natural Bronze (NB)
- Sterling (ST)

CUSTOM FINISHES AVAILABLE  
UPON REQUEST.